

COMPANY PROFILE

About us

Jiangsu H&L Steel trading Co.,Ltd is a professional and reputable steel manufacturer and supplier from Wuxi, China. We have been in this line for more than 15 years and we have a professional sales team. Our office and factories are in Wuxi and Binzhou city which are famous as the two biggest steel production and distribution centers in China. We can provide you Galvanized & Carbon Steel & Stainless & Aluminium Steel Coils, Sheets, Tubes, Bars, Section Profiles, PPGI, PPGL as well as kinds of Copper items, Nickel Alloy and Hastelloy Alloy etc. Besides, our steel service capabilities include slitting, shearing, blanking, leveling, degreasing and brushing and metallurgical support. We will try our best to offer you all the items according to your request. We have long and friendly business relationships with TISCO, BAOSTEEL, JISCO, LISCO, ANSTEEL, SHOUGANG GROUP etc.. We always serve our customers with excellent quality and favorable price. Our products are widely exported to Europe, America, Southeast Asia, the Middle East and other countries and region. We often got repeated orders from our customers, so you could believe our quality and reputation.

We have obtained the ISO9001 quality management certificate this year. In future, we will move on to provide more and better steel products for our clients on the belief of High Quality, Big Honesty and Strong Reliability. Your any inquiry will always be welcome.



ABOUT US



30000+

AREA

2014

SET UP

5000+

PRODUCTION CAPACITY


100+

PARTNER



GALVANIZED COILS & SHEET

We are a professional manufacturer of galvanized coils & sheet.

Standard	GB,ASTM, JIS etc.
Material	SGCC, DX51D+Z/DC51D+Z, DX52D+Z/DC52D+Z, S220GD+Z S250GD+Z, S280GD+Z, S320GD+Z, S350GD+Z, S550GD+Z etc.
Thickness	0.09mm~3mm
Width	10mm~1500mm
Zinc Coating	40g-275g/m ²
Tolerance	Thickness:±0.05mm
Surface	Regular spangle,big spangle, minimal spangle,zero spangle
Remark	We also could supply Electro Galvanized Steel and Galvannealed steel.





Galvanized Steel Plate



Galvalume Coil & Sheet

Galvalume consists of a special coating comprised of zinc, aluminum, and silicon to protect the steel from oxidation. It has an advantage over other galvanized materials due to its enhanced protection from rust when exposed to water and other liquids. This hot-rolled steel works well for outdoor environments such as it can hold its own against snow, ice, and rain.




Standard	GB,ASTM, JIS etc.
Material	SGCC, DX51D,CS-A,CS-B,DDS,FS etc.
Thickness	0.15mm~1.2mm
Width	10mm~1500mm
Coating	AZ50-AZ150
Tolerance	Thickness:±0.05mm

PPGI & PPGL


We are a professional manufacturer of PPGI & PPGL, our factory is in Shandong province. Our PPGI (Prepainted Galvanized Steel) & PPGL (Prepainted Galvalume Steel) are available in a variety of specifications.

Item	PPGI	PPGL
Standard	GB/T-12754,JIS G 3312 EN 10169,ASTM A 755	GB/T-12754,JIS G 3312 EN 10169,,ASTM A 755
Grade	CGCC,DX51D+Z	CGCC,DX51D+AZ
Thickness	0.09-1.5 mm (±0.05 mm)	0.12-1.5 mm (±0.05 mm)
Width	30-1250 mm (±2 mm)	30-1250 mm (±2 mm)
Zinc/Aluzinc coating	Zn 40 g/sm-275 g/sm	Alu-zinc 40-150 g/sm
Painting	prime : 5 μm top coating : 7-20 μm	prime : 5 μm top coating : 7-20 μm
Back coating	7 -15 μm	7 -15 μm
Color	As RAL or your requirement.	
Surface Treatment	With plastic film , Chromated, Wrinkle, Matt, Decorate, Sand surface, Highlight.	



RAL 1013	RAL 1015	RAL 2002	RAL 2005	RAL 3005	RAL 3013
RAL 5010	RAL 5012	RAL 5015	RAL 5017	RAL 6005	RAL 7011
RAL 7021	RAL 7035	RAL 8004	RAL 8014	RAL 8017	RAL 9002
RAL 9003	RAL 9006	RAL 9010	RAL 9011	RAL 9016	RAL 9017


Wrinkled Steel




Flower Pattern design preprinted steel



Marble design steel coil



PE Preprinted Steel









Wood Pattern Preprinted Steel



Stone Pattern Preprinted Steel





Corrugated color roof is a kind of lightweight, strong, and anti-corrosion building material. It is made of color coated steel and designed into different styles, such as wavy, trapezoidal ribbed, tile, etc. Also, our corrugated steel roofing sheets are available in many colors and sizes. More than that, HnLSteel also offers custom solutions to better meet your needs. Our color-coated roofing sheets are ideal for a wide range of applications, such as garages, industrial workshops, agricultural buildings, barns, garden sheds, etc. You can use it as a new roof, as well as an over-cladding of an existing roof.


















Type	FX25-210-630
Effective Width / Full Width(mm)	630/680
Feeding Width (mm)	750
Thickness (mm)	0.2-0.8
Installation Type	

Type	FX25-210-840
Effective Width / Full Width(mm)	840/890
Feeding Width (mm)	1000
Thickness (mm)	0.15-0.8
Installation Type	

Type	FX18-76-836
Effective Width / Full Width(mm)	836/900
Feeding Width (mm)	1000
Thickness (mm)	0.12-0.6
Installation Type	




ROOFING SHEET CORRUGATED SHEET




Aluminium Coil & Sheet

Aluminum sheet & coil delivers long-life and durability in outdoor applications, and are most frequently used in the production of electric signs. Aluminum Coils are used in channel letter fabrication to create the sidewall or return of the letter. Aluminum Sheet is used in a variety of signage applications including light boxes, channel letter backs and sidewalls.

Thickness	0.2-3.0mm
Width	900-1600mm or as required
Grade	1100, 2024, 3003, 5052, 5083, 5086, 5454 and 6061 etc.
Type of sheet	Aluminum flat sheet
	Aluminum perforated sheet
	Aluminum tread plate
	Aluminum expanded metal



Packaging And Shipping



CONTACT US

Salesman

Looking forward to cooperating with you.



E-mail

info@hlsteeltrading.com



Tel

+86 181-1890-6865



Whatsapp

+853 6584-7980



Website

<http://www.hlsteeltrading.com>